

Wassenburg EndoHigh GTA

Version: 4 / GB

Replaces Version: 3 /
GB

Date revised: 12.01.2018

Print date: 07.02.18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Wassenburg EndoHigh GTA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

disinfectants

1.3. Details of the supplier of the safety data sheet

Address:

Wassenburg Medical B.V.

Edisonring 9

NL-6669 NA Dodewaard

Telephone no. +31 (0)488 700 500

Fax no. +31 (0)488 453 685

www.wassenburgmedical.nl

E-mail address of person responsible for this SDS:

sida@drweigert.de

1.4. Emergency telephone number

GBK/ Infotrac: (USA domestic) 1 800 535 5053 or international +1 352 323 3500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302

Acute Tox. 4 H332

Skin Corr. 1B H314

Eye Dam. 1 H318

Resp. Sens. 1 H334

Skin Sens. 1 H317

STOT SE 3 H335

Aquatic Chronic 3 H412

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H302+H332

Harmful if swallowed or if inhaled

H314

Causes severe skin burns and eye damage.

Wassenburg EndoHigh GTA

Version: 4 / GB

Replaces Version: 3 /
GB

Date revised: 12.01.2018

Print date: 07.02.18

H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor. Dispose only when container is empty and closed. For disposal of product residues, refer to Safety Data Sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains Glutaral

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients

Hazardous ingredients

glutaral

CAS No.	111-30-8		
EINECS no.	203-856-5		
Registration no.	01-2119455549-26		
Concentration	>= 10	< 25	%
Classification (Regulation (EC) No. 1272/2008)			
	Skin Sens. 1A	H317	
	Aquatic Acute 1	H400	
	Resp. Sens. 1	H334	
	Skin Corr. 1B	H314	
	Acute Tox. 3	H301	Route of exposure: oral
	Acute Tox. 2	H330	Route of exposure: inhalative
	Aquatic Chronic 2	H411	
	STOT SE 3	H335	

Concentration limits (Regulation (EC) No. 1272/2008)

STOT SE 3 H335 >= 0,5 < 5

Other information

Complete test of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

Wassenburg EndoHigh GTA

Version: 4 / GB

Replaces Version: 3 /
GB

Date revised: 12.01.2018

Print date: 07.02.18

After inhalation

Ensure supply of fresh air. When spray fog inhaled, seek medical aid.

After skin contact

After contact with skin, wash immediately with plenty of water. Take medical treatment.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

Wassenburg EndoHigh GTA

Version: 4 / GB

Replaces Version: 3 /
GB

Date revised: 12.01.2018

Print date: 07.02.18

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

Advice on protection against fire and explosion

The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 0 < 30 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class according to TRGS 510

Storage class according to TRGS 510 8B Non-combustible corrosive hazardous substances

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

glutaral

List	EH40			
Type	WEL			
Value	0.2	mg/m ³	0.05	ppm(V)
Short term exposure limit	0.2	mg/m ³	0.05	ppm(V)
Status: 2011				

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Hold emergency shower available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

Respiratory protection mask with combination filter A/P2

Hand protection

Chemical resistant gloves (EN 374)

Use	Permanent hand contact
Appropriate Material	neoprene
Material thickness	>= 0,65 mm
Breakthrough time	> 480 min
Appropriate Material	nitrile
Material thickness	>= 0,4 mm
Breakthrough time	> 480 min
Appropriate Material	butyl
Material thickness	>= 0,7 mm

Wassenburg EndoHigh GTA

Version: 4 / GB

Replaces Version: 3 /
GB

Date revised: 12.01.2018

Print date: 07.02.18

Breakthrough time	>	480	min
Use	Short-term hand contact		
Appropriate Material	nitrile		
Material thickness	>=	0,11	mm

Eye protection

Safety glasses with side protection shield (EN 166)

Body protection

Clothing as usual in the chemical industry. Protective shoes

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	liquid
Colour	light yellow, clear
Odour	characteristic
Odour threshold	
Remarks	not determined
pH value	
Value	appr. 4
Temperature	20 °C
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined
Initial boiling point and boiling range	
Remarks	not determined
Flash point	
Remarks	Not applicable
Evaporation rate (ether = 1):	
Remarks	not determined
Flammability (solid, gas)	
evaluation	not determined
Upper/lower flammability or explosive limits	
Remarks	not determined
Vapour pressure	
Remarks	not determined
Vapour density	
Remarks	not determined
Density	
Value	1,03 g/cm ³
Temperature	20 °C
Solubility in water	
Remarks	miscible in all proportions
Solubility(ies)	
Remarks	not determined
Partition coefficient: n-octanol/water	
Remarks	not determined
Ignition temperature	
Remarks	not determined

Wassenburg EndoHigh GTA

Version: 4 / GB

Replaces Version: 3 /
GB

Date revised: 12.01.2018

Print date: 07.02.18

Decomposition temperature

Remarks not determined

Viscosity

dynamic

Value < 10 mPa.s
Temperature 20 °C

Explosive properties

evaluation not determined

Oxidising properties

evaluation None known

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

Decomposition temperature

Remarks not determined

10.5. Incompatible materials

Reactions with amines.

10.6. Hazardous decomposition products

Irritant gases/vapours

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

Species rat
LD50 300 to 2000 mg/kg
Method calculated value (Regulation (EC) No. 1272/2008)

Acute oral toxicity (Components)

glutaral

Species rat
77 mg/kg
Method OECD 401

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

glutaral

Species rabbit
> 2000 mg/kg

Wassenburg EndoHigh GTA

Version: 4 / GB

Replaces Version: 3 /
GB

Date revised: 12.01.2018

Print date: 07.02.18

Acute inhalational toxicity

Species rat
LC50 1 to 5 mg/l
Administration/Form Dust/Mist
Method calculated value (Regulation (EC) No. 1272/2008)

Acute inhalative toxicity (Components)

Glutaral

Species rat
LC50 0,28 to 0,48 mg/l
Duration of exposure 4 h
Administration/Form Dust/Mist
Method OECD 403

Skin corrosion/irritation

evaluation corrosive

Serious eye damage/irritation

evaluation corrosive

Sensitization

Route of exposure inhalative
evaluation sensitizing
Route of exposure dermal
evaluation sensitizing

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Remarks Inhalation may lead to irritation of the respiratory tract.

Aspiration hazard

No special hazards have to be mentioned.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

glutaral

Species Fathead minnow (Pimephales promelas)
LC50 5,4 mg/l
Duration of exposure 96 h

Wassenburg EndoHigh GTA

Version: 4 / GB

Replaces Version: 3 /
GB

Date revised: 12.01.2018

Print date: 07.02.18

Daphnia toxicity (Components)

glutaral

Species	Daphnia magna	
EC50	5	mg/l
Duration of exposure	48	h

Algae toxicity (Components)

glutaral

Species	Selenastrum capricornutum	
LC50	0,81	mg/l
Duration of exposure	120	h

Bacteria toxicity (Components)

glutaral

Species	activated sludge	
EC20	appr. 15	mg/l
Duration of exposure	30	min
Method	OECD 209	

12.2. Persistence and degradability

General information

not determined

Biodegradability

evaluation Readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Evaluation of persistence and bioaccumulation potential

The product contains no PBT or vPvB substances.

12.6. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Wassenburg EndoHigh GTA

Version: 4 / GB

Replaces Version: 3 /
GB

Date revised: 12.01.2018

Print date: 07.02.18

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	1903	1903	1903
14.2. UN proper shipping name	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (glutaral)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (glutaral)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (glutaral)
14.3. Transport hazard class(es)	8	8	8
Label			
14.4. Packing group	III	III	III
Limited Quantity	5 I		
Transport category	3		
14.5. Environmental hazards		no	
Tunnel restriction code	E		
IMDG-Code segregation		0 Not applicable	

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

Water Hazard Class (Germany)

Water Hazard Class
(Germany)

WGK 3

Remarks

Classification according to Annex 4 VwVwS

VOC

VOC (EU)

0 %

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

Wassenburg EndoHigh GTA

Version: 4 / GB

Replaces Version: 3 /
GB

Date revised: 12.01.2018

Print date: 07.02.18

SECTION 16: Other information

R-phrases listed in Chapter 3

23/25	Toxic by inhalation and if swallowed.
34	Causes burns.
42/43	May cause sensitization by inhalation and skin contact.
50	Very toxic to aquatic organisms.

Hazard statements listed in Chapter 3

H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H400	Very toxic to aquatic life.

CLP categories listed in Chapter 3

Acute Tox. 3	Acute toxicity, Category 3
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Resp. Sens. 1	Respiratory sensitization, Category 1
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Sens. 1	Skin sensitization, Category 1

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.